

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

1300 I STREET, N. W.
WASHINGTON, DC 20005-3315

202 • 408 • 4000
FACSIMILE 202 • 408 • 4400

WRITER'S DIRECT DIAL NUMBER:

ATLANTA
404 • 653 • 6400
PALO ALTO
650 • 849 • 6600



TOKYO
011 • 813 • 3431 • 6943
BRUSSELS
011 • 322 • 646 • 0353

(202) 408-6070

January 21, 2000

ATTORNEY DOCKET NO. 07447.0026-00000

Box PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Re: New U.S. Patent Application
Title: MEDIUM CONTAINING INFORMATION GATHERED
FROM MATERIAL INCLUDING A SOURCE AND
INTERFACE FOR GRAPHICALLY DISPLAYING
THE INFORMATION
Inventors: Stuart Kent Card, Tobias Höellerer,
James Edward Pitkow, and Richard Carl Gossweiler, III

Sir:

We enclose the following papers for filing in the United States Patent and Trademark Office in connection with the above patent application.

1. Application - 43 pages, including seven independent claims and 24 claims total.
2. Drawings - Twenty-two sheets of formal drawings (Figures 1-6, 7A, 7B, 8-11, 12A-12K).
3. Declaration and Power of Attorney.
4. Assignment and Form PTO-1595.
5. A check for \$1,002.00 representing a \$690.00 filing fee, and \$312.00 for additional claims.
6. A check for \$40.00 representing an assignment recordation fee.


Assistant Commissioner for Patents
January 21, 2000
Page 2

Please accord this application a serial number and filing date and record and return the Assignment to the undersigned.

The Commissioner is hereby authorized to charge any additional filing fees due and any other fees due under 37 C.F.R. § 1.16 or § 1.17 during the pendency of this application to our Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

By: 
James T. Wilson
Reg. No. 41,439

JTW/cs
Enclosures

UNITED STATES PATENT APPLICATION

OF

Stuart Kent CARD

Tobias HÖELLERER

James Edward PITKOW

and

Richard Carl GOSSWEILER, III

FOR

MEDIUM CONTAINING INFORMATION GATHERED FROM

MATERIAL INCLUDING A SOURCE AND

INTERFACE FOR GRAPHICALLY DISPLAYING

THE INFORMATION

BACKGROUND OF THE INVENTION

A. Field of the Invention

The present invention relates to a medium containing information gathered from material including a source, and a data processing system for generating
5 content for the medium and permitting access to the content.

B. Description of the Related Art

The communication and manipulation of ideas is limited by the forms in which they can be packaged and transported. Books in their modern, codex form are a
10 substantial improvement on earlier forms in the amount of information that can be packaged together, the portability of that information, the speed with which the information can be accessed, and its suitability for commerce. A typical book might consist of 400 pages, contain 160,000 words, and weigh 4 pounds. It is possible to find books larger or smaller than this by perhaps a half-order of magnitude (factor of
15 3). Beyond this range, larger material tends to be broken into separate book volumes, as in encyclopedias, and smaller material tends to be grouped into book volumes, as in journals of scientific articles or collections of short stories.

Essentially, the size of books in terms of physical form and number of pages is determined first by what a reader finds convenient to carry and second by what
20 the publisher finds economical to publish and distribute. Very large books or very expensive books exist, but tend to have limited markets and distribution. On the

other hand, paperback pocket books, the books of truly mass circulation, conform carefully to a portable size and economical cost.

The cost in time of accessing information in a book is much lower than accessing information outside the book, such as the contents of other publications the book references. Access to additional material not previously assembled may mean a trip to the library or ordering from a publisher, processes requiring hours or even weeks. Moreover, even if all the referenced contents have been assembled, they would not share the book's portability, i.e. they could not be readily packed off to the beach or taken home from work.

These limitations on book size mean that it is not practical to publish a book together with the contents of the material it cites. Yet, references are often pursued as a consequence of reading the book. This use of books is part of a larger process called knowledge crystallization.

Knowledge crystallization includes collecting information, making sense of it, and authoring some new work based on the research and insight. An example would be writing a scientific research paper or authoring a business slide presentation.

The idea of electronic, hyperlinked books exists. For example, D. C. Engelbart, "Augmenting Human Intellect: A Conceptual Framework," Stanford Research Institute, Menlo Park, California AFOSR-3223 (October 1962); T. H. Nelson, *Literary Machines*. Swarthmore, PA: Self-published (1981); and N. Yankelovich et al., "Intermedia: The Concept and Construction of a Seamless

Information Environment," *IEEE Computer*, vol. 21, pp. 81-96, 1988, developed
hypertext systems in which documents were related to each other through links.
Engelbart and Nelson's systems, however, emphasized merely linking in a new
document that references other documents already in the system, and the links in
5 the Engelbart, Nelson, and Van Dam systems must be explicitly authored.

J. R. Remde et al., "Superbook: An Automatic Tool for Information
Exploration," (1987) (presented at ACM Hypertext '87 Proceedings) and D. E. Egan,
J. R. Remde et al., "Behavioral evaluation and analysis of a hypertext browser,"
(1989) (presented at ACM CHI '89 Conference on Human Factors in Computer
10 Systems, Austin, Texas) describe a hyperlinked "Superbook" with integrated fisheye
visualization and indexing. Creating an electronic Superbook from an existing paper
statistics manual resulted in improved access time for information.

There are currently many electronic, hyperlinked books on the market.
Typical of the genre are THAMES & HUDSON, ART 20: THE THAMES AND HUDSON
15 MULTIMEDIA DICTIONARY OF MODERN ART (CD-ROM Ed. 1999) and HOPKINS
TECHNOLOGY, COMPLETE ACUPUNCTURE (CD-ROM ed. 1997). These examples
contain such features as searchable text, bookmarking, annotations, and writable
notebooks.

E. GARFIELD, CITATION INDEXING--ITS THEORY AND APPLICATION IN SCIENCE,
20 TECHNOLOGY, AND HUMANITIES (1979) discusses the use of citation indexing and
cocitation analysis for analyzing the structure of document collections and the
Science Citation Index. J. Mackinlay et al., "An Organic User Interface for Searching

Citation Links," (1995) (presented at ACM CHI '95 Conference on Human Factors in Software, Denver, Colorado) used online access to the Science Citation Index to create virtual visual collections for searching. E. H. Chi et al. "Visualizing the Evolution of Web Ecologies," (1998) (presented at ACM CHI '97 Conference on Human Factors in Software) used bibliometric techniques, such as cocitation analysis, to visualize Websites. C. Chen and L. Carr, "Trailblazing the Literature of Hypertext: Author Co-citation Analysis (1989-1998)," (1999) (presented at Hypertext '99, Darmstadt, Germany) used cocitation analysis to visualize the literature of the Hypertext conference proceedings.

The prior systems, however, fail to adequately provide a user quick access to information related to a source material. Further, the prior systems fail to provide a visualization of source material and information related to a source material that can maximize the user's understanding of the material.

SUMMARY OF THE INVENTION

Systems and methods consistent with the present invention significantly effect a reader's ability to understand information provided in a source material and related secondary material. For example, systems and methods consistent with the present invention provide a medium including information regarding features of a source material and features of secondary materials related to the source material.

Collecting the information on a medium permits quick access to the information.

In addition, information regarding features of a source material and features of secondary materials related to the source material can be graphically displayed in color and arranged to form patterns at a large scale, thereby aiding in the exploration of information contained in the medium. Unlike a physical book, the information can
5 be manipulated and analyzed not just by the reader, but also by statistical processes. Thus, systems and methods consistent with the present invention can make specific recommendations for reading based on the user's indication of items of interest in the medium.

In accordance with methods consistent with the present invention, a method
10 is provided for producing a storage medium that provides information regarding a source material. The method comprises the steps of gathering features of the source material, accessing secondary materials related to the features, gathering features of the secondary materials, determining attributes of the gathered materials, analyzing the attributes based on a predetermined characteristic, and recording
15 information regarding the source material and the secondary materials based on the analysis.

In accordance with another method consistent with the present invention, a method is provided for providing a user interface for graphically displaying information. The method comprises the steps of displaying information regarding a
20 source material and secondary materials, determining a selection of information based on a user input, analyzing the source material, the secondary materials, and

the selection of information, and updating the display of information regarding the source material and secondary materials based on the analysis.

In accordance with an apparatus consistent with the present invention, an apparatus is provided for producing a storage medium that provides information
5 regarding a source material. The apparatus comprises a memory including a program, a processor for executing the program, and a storage medium, wherein the program includes instructions to gathers features of the source material, access secondary materials related to the features, gather features of the secondary materials, determine attributes of the gathered materials, analyze the attributes
10 based on a predetermined characteristic, and record on the storage medium information regarding the source material and the secondary materials based on the analysis.

In accordance with a user interface consistent with the present invention, an interface is provided for graphically displaying information. The interface comprises
15 a display that displays information regarding a source material and secondary materials, a user interface that determines a selection of information based on a user input and performs an analysis based on the source material, the secondary materials, and the selection of information, and a controller that instructs the display of information regarding the source material and secondary materials to be updated
20 based on the analysis.

A medium produced using principles consistent with the present invention has a format for interacting with an automated information accessing device, the format

including information for use in assisting a user to understand a source material,
wherein the format includes information produced by a method, the method
comprising gathering features of the source material, accessing secondary materials
related to the features, gathering features of the secondary materials, determining
5 attributes of the gathered materials, analyzing the attributes based on a
predetermined characteristic, and recording, based on the format, information
regarding the source material and the secondary materials based on the analysis.

A computer-readable medium produced consistent with the present invention
contains instructions for controlling a computer to perform a method for producing a
10 storage medium that provides information regarding a source material, including
gathering features of a source material, accessing secondary materials related to the
features, gathering features of the secondary materials, determining attributes of the
gathered materials, analyzing the attributes based on a predetermined
characteristic, and recording information regarding the source material and the
15 secondary materials based on the analysis.

Another computer-readable medium produced consistent with the present
invention contains instructions for controlling a computer to perform a method for
providing an interface for graphically displaying information, including displaying
information regarding a source material and secondary materials, determining a
20 selection of information based on a user input, analyzing the source material, the
secondary materials, and the selection of information, and updating the display of

information regarding the source material and secondary materials based on the analysis.

It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are not

5 restrictive of the invention, as claimed.

BRIEF DESCRIPTION OF THE DRAWINGS

10 The accompanying drawings, which are incorporated in and constitute a part of this specification, illustrate the implementations of the invention and together with the description, serve to explain the principles of the invention.

FIG. 1 illustrates an example of a computer system consistent with the present invention;

FIG. 2 is a flow chart of steps of the process for producing a medium consistent with the present invention;

15 FIG. 3 illustrates the information provided in a basic medium consistent with the present invention;

FIG. 4 is a schematic diagram of the information in Fig. 3.

FIG. 5 illustrates features in a source material;

FIG. 6 illustrates a medium consistent with the present invention;

20 FIGS. 7A, 7B, and 8 illustrate mediums consistent with the present invention;

FIG. 9 illustrates a matrix consistent with the present invention;

FIG. 10 illustrates another medium consistent with the present invention;

FIG. 11 is a flow chart of steps of the program for visualizing information contained in a medium consistent with the present invention; and

FIGS. 12A-12K are views of graphic displays occurring during an example of the program for visualizing information of Fig. 11.

5

DETAILED DESCRIPTION

Reference will now be made in detail to the construction and operation of an implementation of the present invention which is illustrated in the accompanying drawings. The present invention is not limited to this implementation but it may be realized by other implementations.

A. Overview

Systems and methods consistent with the present invention create a medium containing information related to material including a source and provide an interface to graphically display this information.

Unlike previous mediums linking information related to a source material, an automated process creates a medium consistent with the present invention. The process includes a gathering routine that accesses material, gathers features of the material, and indexes the features as objects. An analysis routine of the process then determines attributes of the objects. A stop routine of the process checks the attributes based on a predetermined characteristic. If the characteristic is found, the objects are provided on the medium. If the characteristic is not found, the stop

routine recalls the gathering routine to iteratively seek additional material and features. Because of the automated process, the medium content does not have to be specifically authored. Also, in some cases, all of the features related to a source material could be provided on a medium. In other cases, the analysis routine could
5 involve a statistical process, used to limit the number of objects provided on the medium.

The interface simultaneously displays representations of all of the objects provided on the medium to allow a user to see the materials on a large scale. The display includes a representation of objects of the source material in a first area and
10 objects of the secondary materials in a second area. Interaction with the objects permits the objects to be rearranged based on user interest. The display areas are linked so that manipulation of an object in one area will effect a view of the same object in another area, for example. Using the interface, a user can rapidly gain greater understanding of the material.

15
B. Architecture

A computer system used to create a medium or a data processing system using a medium could be number of machines, a separate machine, or a portion of a machine. An exemplary computer system is illustrated in Fig. 1. A computer 100
20 communicates via a network 190, such as the Internet or an Intranet, with other devices, such as computers. Computer 100 includes a memory 101, secondary storage 102, a central processing unit (CPU) 103, a video display 104, and an input

device 105. One skilled in the art will appreciate that computer 100 may contain additional or different components. Memory 101 includes an operating system 106, a TCP/IP protocol stack 107, a program to create a medium 108, and a visualization program 109. When multiple computer systems are used, programs 108 and 109
5 could reside on different systems.

The program to create a medium 108 includes a gathering routine, an analysis routine, and a stop rule routine. Visualization program 109 includes a graphics engine, a user interface that monitors user action and dynamically predicts user interest, a control routine for the visualization, a document database, and a
10 browser routine.

B. Architectural Operation

1. Creating the Medium

Fig. 2 illustrates a flow chart of the steps of the program to create a medium
15 designed in accordance with principles of the present invention. For explanatory purposes, Fig. 3 illustrates a basic implementation of the information provided in such a medium. The medium of Fig. 3 includes the contents of a book together with the contents of all the references in the book plus all the references of those references. Fig. 4 illustrates a schematic diagram of the information provided in Fig.

20 3.

Initially, the gathering routine accesses a source material 300 (step 200). Then, the gathering routine parses the content of the source material 300 to find

features related to the source material that may be of interest to a user (step 210).

As illustrated in Fig. 5, various features are present in documents and can be used to create the medium, including names of authors of the source (A), institutions where the work was created or the authors are from (I), references (R), topic words

5 in the content or references (W), history of use (H), context (X), era or period the work was created (E), and usage (U) based, e.g., the number of times the work was accessed (F) (for example at a public library or number of "hits" on a Web site).

Features could also include relationships between features of the source material and secondary materials (C'), such as a similarity between documents (c) using a
10 document vector model of the contents of the documents or relative usage (u) based on, e.g., the number of times or speed that the secondary material was accessed after accessing the source material.

To parse the features, the gathering routine could search the text of the source material or access a previously-extracted feature list. The gathering routine
15 then designates the features as objects. Alternatively, the gathering routine could permit a publisher or an author to intelligently review the gathered information and define the objects using professional judgement, thereby providing or removing materials.

In the example of Figs. 3 and 4, the features of the source material are the
20 references (R) to other materials in the source material as shown by the rectangles in the first ring 310. In Fig. 4, a box 400, notated CR^0 , represents the content (and embedded references) of the source material. Box 400 is shown in shadow because

it is the seed from which the other information is derived. A circle 410, denoted R^0 , represents the set references extracted as objects. The operator e , in this case, represents an operation "references," and this portion of Fig. 4 means that "CR⁰ references R^0 ."

5 Once the features of the source material are extracted as objects, the analysis routine determines attributes of the features (step 220). For example, the medium in Fig. 3 provides the references, the content of references, and the references of the references. Therefore, in step 220 for the medium in Fig. 3, the generational level of references is determined, for example an iteration number
10 could be incremented. Other attributes could include the amount of information gathered, the earliest publication date of the gathered information, or a statistical attribute (which will be discussed in detail below).

 Based on the determined attributes, a stop routine analyzes the attributes to see if an attribute has a predetermined characteristic (step 230). This analysis could
15 ensure that the total amount of information is within a preset limit, such as the capacity of a physical storage medium. Also, the analysis could look for the presence or absence of certain attributes of the source material and secondary materials, such as the presence of selected key words. The stop routine could analyze a plurality of attributes, each associated with different characteristics, and
20 provide a single result through processing.

 If the stop routine detects the presence of the predetermined characteristic, the stop routine inhibits gathering information for the medium (step 240). Otherwise,

the stop routine calls the gathering routine to iteratively access and parse secondary material, thereby locating and processing more information (steps 250 and 260).

In the example of Figs. 3 and 4, the analysis routine determines that merely the source material is present. Because the stop routine is checking for gathered
5 references of the references, the stop routine thus calls the gathering routine to complete the medium of Fig. 3.

The gathering routine accesses the content of the references and sets them as objects (step 250). In Fig. 3, the contents of the publications referred to in the first ring 310 are shown in the second ring 320 as page icons. In Fig. 4, a box 420,
10 denoted CR^1 , is the set of the contents of all the documents referred to in R^0 . The operator c , in this case, represents an operation "citation," and this portion of Fig. 4 means that " R^0 is a citation for CR^1 ." The gathering routine then parses the contents of the references to determine a second set of references cited by the first set of references. Each reference in the second set is also set as an object (step 260). In
15 Fig. 3, the references to the references are shown by the rectangles in the third ring 330. Although not illustrated, some references could be to works in the first ring 310 and other works in the second ring 320. In Fig. 4, a circle 430, denoted R^1 , is the set of references extracted from CR^1 . Once again, the analysis routine determines attributes (step 220) and the stop routine checks for the predetermined characteristic
20 (step 230). This time, the stop routine finds the characteristic in the attributes and stops the gathering of information (step 240).

Based on the objects gathered in the gathering routine, as shown in Fig. 6, a medium 600 is electronically published on portable storage medium, such as a digital video disk (DVD), compact disk read only memory (CD-ROM), tape, or non-volatile random access memory (NVRAM), or the World Wide Web, or a format
 5 for a personal device, such as a personal digital assistant (PDA). Also, when medium 600 is provided on an alterable storage medium, medium 600 could be updated. Alternatively, when medium 600 is not alterable, an alterable memory 610 could be provided in conjunction with medium 600 to update the medium.

Regardless of how medium 600 is published, it includes an index pointing to
 10 where objects contained in the medium are located for quick access to information in the objects. In the case of Figs. 3 and 4, the index would point to where the content of the source material is located, where the contents of all the references are located, and where a list of all the references of those references is located. In some cases, such as Web publishing, the index may be the eminent thing published.

15 Other mediums could also be provided. For example, as shown notationally in Fig. 7A and equivalently in Fig. 7B, medium 600 could also include the contents of the references of references and so on for n generations of secondary materials. In the case of Figs. 7A and 7B, the stop routine would look for the characteristic of n generations of references. Also, instead of being backward looking, the gathering
 20 routine could access and parse the features of an existing work. For example, a forward-looking medium could include materials that cite the existing work (look forward to materials influenced by the existing work). This type of medium would be

helpful to analyze the effect an existing work had on a particular field. In addition, to determine how important a work is, a medium could look both forward and backward. This type of analysis is particularly useful for festschrift, which is a collection of essays or other writings contributed by students, teachers, colleagues, and admirers to honor a scholar, physician, or other scientist on a special occasion noting an event of importance in his or her life, or works that are regarded as revolutionary, such as Einstein's photo-electric effect paper.

Fig. 8 shows an example of a more complex medium including information regarding authors and institutions related to the source material. Extracted from source material CR^0 are a set of references R^0 and a set of authors A^0 and institutions where the authors were associated I^{A^0} . Other articles that one or more of the authors in set A^0 wrote are listed in reference set R^{A^0} . From reference set R^0 , a set of authors A^{R^0} who wrote the references is determined. Then, the set of institutions $I^{A^{R^0}}$ where the authors were associated is determined. Other articles that one or more of the authors in set A^{R^0} wrote are listed in reference set $R^{A^{R^0}}$. The content CR^1 of references R^0 is provided in the medium, and similarly to CR^0 , sets of references R^1 , authorship A^{R^1} , institutions $I^{A^{R^1}}$, and author's references $R^{A^{R^1}}$ are provided in the medium.

For some source materials, medium 600 would ideally contain every conceivable secondary material. Nevertheless, the volume of such secondary material may exceed the maximum amount of information that can be stored on a storage medium, such as a CD-ROM or DVD, or contain such a large amount of

useless information to be meaningless. Using manual pruning or statistical analysis to identify attributes of the source and secondary materials, in step 220 medium 600 can include only the most important and relevant secondary materials. In one aspect of the invention, the statistical analysis is always performed. In another

5 aspect of the invention, the statistical analysis is performed when the gathered information exceeds a predetermined amount, i.e. the stop rule checks the attribute of total size of data collected, triggers the statistical analysis when the total size exceeds a predetermined amount, and calls the analysis routine.

a. Statistical Analysis

10 The analysis routine can use various statistical analyses to determine the attributes of gathered features. Examples of techniques to determine attributes can be found in C. Chen and L. Carr, *supra*; S. K. CARD, J. D. MACKINLAY, AND B. SHNEIDERMAN, INFORMATION VISUALIZATION: USING VISION TO THINK (1999), G. G. Robertson et al. "Information visualization using 3D interactive animation," 36

15 *Communications of the ACM* 57-71, 1993; P. Pirolli et al., "Silk from a Sow's Ear: Extracting Usable Structures from the Web," (1996) (presented at Conference on Human Factors in Computing Systems, CHI '96, Vancouver, Canada); G. Slaton and C. Buckley, "On the Use of Spreading Activation Methods in Automatic Information Retrieval," (1988) (presented at SIGIR '88, Grenoble, France); P. Zunde, "Structural

20 Models of Complex Information Sources," 7 *Information Storage and Retrieval* 1-18 (1971); M. M. Kessler, "Bibliographic Coupling Between Scientific Papers," 14 *American Documentation* 10-25 (1963); I. V. Marshakova, "System of Document

Connectionism Based on References," Series 2 *Nauchno-Tekhnicheskaya Informatsiya* 2-6, (1973); H. Small, "Co-citation in the Scientific Literature: a New Measure of the Relationship Between Two Documents," *Journal of the American Society for Information Science*, vol. 24, pp. 265-269 (1973); J. R. Anderson and P. L. Pirolli, "Spread of Activation," 10 *Journal of Experimental Psychology: Learning, Memory, and Cognition* 791-798 (1984); and B. A. Huberman and T. Hogg, "Phase Transitions in Artificial Intelligence Systems," 33 *Artificial Intelligence* 155-171 (1987), all of which are incorporated by reference herein.

The analysis routine may use attributes of a cocitation statistical analysis.

10 The cocitation statistical analysis uses a citation index, created by populating an incidence matrix (or citation matrix, an example 900 of which is shown in Fig. 9) based on relationships between materials shown in a directed graph (citation graph or citation network, which is similar to the graphs of, e.g., Figs. 4 and 5). The incidence matrix is a square matrix with each material being a respective row and

15 column.

For example, a cocitation statistical analysis using the features of references would include a directed graph edge between node D_i and node D_j indicating that D_i references D_j and that D_j contains a citation from D_i . The value of the cell for row D_i and column D_j denotes the number of times document D_i refers to document D_j ,

20 which is called the citation frequency. In this manner, a citation matrix C illustrates the "reference" relationships and the transpose of the citation matrix C^T illustrates the "is-referenced-by" relationships. As can be seen in Fig. 9, cell 910 indicates that

document D_1 references document D_2 three times, and cell 920 shows document D_2 references document D_1 once.

With m features that contain references to n other features in a citation matrix $C = (c_{ij})$, then the number of references of document D_i is the sum of the row vector for D_i or $(CC^T)_{ii}$, and the number of citations received by document D_i is the sum of the column vector for D_i or $(C^TC)_{ii}$. In Fig. 9, oval 930 indicates that document D_n references at least $1 + 7 + 6$ or 14 documents, and oval 940 indicates that document D_n is referenced by at least $11 + 51 + 4$ or 66 other documents.

A bibliographic coupling strength, which indicates the number of references that documents D_i and D_j share in common, can also be computed as an attribute. The bibliographic coupling strength is given by the equation:

$$\sum_{k=1}^n C_{ik} C_{jk} = (CC^T)_{ij}$$

Once written, the references a document D_i makes to other materials are fixed, yet additional papers can be written that reference D_i as well as cite the references in D_i . At any given point in time, one can inspect the bibliographic coupling strengths for a set of documents to gain insight into what awareness authors had of each others work or used to retrieve the set of documents most bibliographically coupled to a document. In other words, the medium could include only the documents having a bibliographic coupling strength larger than a predetermined amount.

As time progresses, this set of bibliographically coupled items can increase as others cite similar papers and a medium that updates the collection of information could also updated bibliographic coupling strengths.

Cocitation strength, which is the number of citations which documents D_i and D_j share in common, can also be used as an attribute. Cocitation strength is given by the equation:

$$\sum_{k=1}^m C_{ki} C_{kj} = (C^T C)_{ij}$$

5 Cocitation identifies pairs of documents that are references together.

Frequently citing documents together implies the shared semantic judgement of others that each of the documents D_i and D_j in the pair $D_i D_j$ is related to the other. This is an important insight because the two documents may not contain a reference to one another. Like bibliographic coupling strengths, cocitation strengths vary over
10 time and can provide a glimpse into the papers that influence a particular field at any given time.

Typical cocitation analysis creates a correlation matrix from the cocitation strengths and applies multidimensional scaling on the results. Visually, related documents cluster together indicating sub-fields within the main field and the
15 medium can include these most relevant materials.

The analysis routine can also use spreading activation to determine attributes. Spreading activation is a class of algorithms that propagate numerical values among a set of connected items. For any features of a source material, activation can be spread though the network of associations. The resulting
20 activation vector can be sorted with the highest values representing items most closely associated with the features of the source material. Since multiple features

can be used as sources of activation, the interest function is computed relative to several features at the same time.

For example, the spreading activation analysis can use a leaky capacitor model. An activation network can be represented as a square matrix R , where each element R_{ij} contains the strength of association between nodes i and j , and the diagonal contains zeros. The amount of activation that flows between nodes is determined by the activation strengths, which for our purposes correspond to bibliographic coupling and cocitation strengths. In some implementations, both bibliographic coupling strengths and cocitation strengths can be used simultaneously. For example, after performing spreading activation on each of bibliographic coupling and cocitation strengths, the results can be added or "fused." Alternatively, matrices respectively representing bibliographic coupling strengths and cocitation strengths can be normalized and summed, with the spreading activation analysis being performed on the result.

Source activation is represented by a vector C , where C_i represents the activation pumped in by node i . The dynamics of activation can be modeled over discrete steps $t = 1, 2, \dots, N$, with activation at step t represented by a vector $A(t)$,

with element $A(t,i)$ representing the activation at node i at step t . The evolution of the flow of activation is determined by:

$$A(t) = C + MA(t-1)$$

$$M = (1 - \gamma)I + \alpha R$$

5 where M is a matrix that determines the flow and decay of activation among nodes, with γ determining the relaxation of node activation back to zero when it receives no additional activation input, and α denoting the amount of activation spread from a node to its neighbors. I is the identity matrix.

The parameters of M could be fixed for each generation or could vary. Step
10 230 stops the spreading after a predetermined plies of activation are computed or stops when the activation for all of the features of a generation of the secondary material being analyzed falls below a predetermined threshold. Then, secondary materials having an activation above a predetermined activation are included in medium 600.

15 Also, the contents of any referenced material does not have to be included in medium 600. As shown in Fig. 10, a n -th order bibliographic medium 1000 could include n generations of references to a source material 1010.

2. Data Processing System Operation

After the medium is created, a user can manipulate, automatically or manually, the objects contained in the medium to reveal insights about the collection of ideas.

5 This way of working with the medium is interesting for several reasons. The author of the source material has used her knowledge to choose, e.g., the reference documents as being highly related to the source material. Processing the objects in the medium can be expected to include other works that are evidence for the current work, contrasting views, development of related ideas, descriptions of methodology,
10 etc. In other words, the information of the objects can expand the knowledge provided by the source material in a manner that is unexpected even to the author or publisher of the source material.

 A data processing system consistent with the present invention uses the medium to give readers a broad view of how the source material was organized and
15 the reason for that organization, to help the reader determine which articles are the most influential in the field discussed in the source material, and how influence flows in the source material from other information, such as the references, to suggest which materials to read next, and to allow the reader to quickly access the material of interest.

20 a. Viewing the Scene

 The control routine of visualization program 109 is a supervisor for the interface. The control routine controls access to a document database, including for example a medium containing information gathered from material including a source,

and commands information therein to be rendered as placards, or icons, using one of a variety of layout algorithms. For example, at start-up, the control routine commands transferring of information contained in a medium into memory, starting a browser routine, and rendering the graphics scene. The control routine can use a
5 basic event-driven model, with timer-events to update animations.

The graphics engine of visualization program 109 composes and maintains an internal scene graph of graphics objects. The graphics engine includes a graphics object database, a rendering engine, and a set of visual operations. The graphics object database stores a number of objects that are to be displayed. The
10 rendering engine uses the graphics database to set up a global state of a scene and uses transform matrices of the objects to render the scene. i.e., the actual rendering is performed by the object itself.

A portion of the scene could include information from the browser routine of visualization program 109. The browser routine calls or includes a program, such as
15 Microsoft's Internet Explorer component, that can present the hypertext markup language (HTML) associated in a visual form.

b. User Interface

The user interface provides the user with commands to display material in the medium, query the information in the medium by keywords in fields such as the
20 contents, references, authorship, or institution, extract portions of the medium, and author new content based on the medium, and responds to the commands. For example, when the user selects placards representing several articles and asks for a recommendation about what to read next, the user interface can use the selections

to derive an ordered result-set. The graphics engine would then graphically display the result-set.

The user interface uses similar statistical analysis as that used in creating the medium, placing the reader in control of selecting materials of interest, which is
5 difficult to predict when the document is shipped.

c. Operation of the Visualization Program

The data processing system uses visualization program 109 to provide the graphic display. As illustrated in Fig. 11, the visualization program begins when the user interface detects a user instruction for access to a medium and informs the
10 control routine. The control routine instructs access to the objects in the medium (step 1100) and commands the graphics engine to render and display the objects contained in the medium (step 1110). Some of the details of this visualization of the objects will be explained below with reference to Figs. 12A- 12K.

The user interface then monitors the user's interaction with the objects in the
15 visualization (step 1120). The monitoring could detect affirmative selections, such as a user command to select an object, or implied selections, with a process watching the history and context of a user's actions and determining a degree of interest.

The user interface predicts the preferences of the users based on, e.g.,
20 affirmative selection or a statistical process (step 1120) and provides the preferences to the control routine. The control routine instructs the graphics engine to update the view of the medium, for example, by displaying a selected reading in a browser window or highlighting a set of recommended readings in a previous view

(steps 1130 and 1140). The statistical analysis could include a combination of spreading activation and citation analysis similar to the analysis used in creating the medium and can employ cocitation and bibliographic coupling strengths as association matrices in the spreading activation model. When implicit selections
5 are used, the source vector can be seeded based upon a history of user selections weighted by time and frequency of the selections.

While the results of the statistical analysis are displayed on a display in step 1140, the user could also arrange the information in structuring substrates, such as information visualization spreadsheets (for examples of information visualization
10 spreadsheets, please see E. H. Chi et al., "A Spreadsheet Approach to Information Visualization," ACM Symposium on User Interface Software and Technology (UIST '97) 79-80 (1997). 79-80; E. H. Chi, "A Framework for Information Visualization Spreadsheets," Ph.D. thesis, University of Minnesota (1999), all of which are incorporated by reference herein) and perspective walls (for examples of perspective
15 walls, please see J. D. Mackinlay et al., The Perspective Wall: Detail and Context Smoothly Integrated," ACM Conference on Human Factors in Computing Systems (CHI '91) 173-179 (1991); and U.S. Patent No. 5,689,287 issued to Mackinlay et al. on November 18, 1997, all of which are incorporated by reference herein).

Of course, the user could forego statistical analysis and collect sets of
20 references and/or contents into groups and arrange them in any manner that suits the user.

C. Example

To provide a concrete example of the medium and data processing system consistent with principles at the present invention, S.K. CARD ET AL. READINGS IN INFORMATION VISUALIZATION: USING VISION TO THINK (1999) will be used as a source material. This book is an assemblage of articles written in the field of information visualization, and contains 58 objects (47 articles and 9 chapter introductions). The book totals 682 pages, consisting of about 120 pages of original text, 500 pages of reprints of the articles, and front and back matter. The book's bibliography has about 700 references, which are also objects of the medium. The medium of this book would have around 7000 pages, if printed (for ease of explanation, the example visualization illustrates each of the 700 references in the book as an HTML page just containing authors, year, and title, rather than the entire article).

Statistical processing was used in this visualization. Accordingly, the user interface created a database of linkages from the objects of the medium. These linkages were used to derive citation matrices, cocitation matrices, and bibliographic coupling matrices, which form the basis of the tools with which users interact with the medium.

Fig. 12A illustrates an interface for visualization of objects of the medium for READINGS IN INFORMATION VISUALIZATION. The interface includes a window 1200 divided into a view of medium contents area 1210 on the left and an HTML browser area 1220 for reading selecting materials. The upper part of the medium contents area 1210 is a content board 1230, which visually depicts the set CR^0 in Fig. 4.

Content board 1230 includes rows indicating the objects of the source material in a visual format. For example, each row of the content board corresponds to a chapter. Row 3, for example, is the introduction material and 8 articles of Chapter 3. For source material without chapters, the rows of content board 1230 could correspond

5 to a predefined abstraction, such as a predetermined number of pages or paragraphs.

The lower part of contents area 1210 is a citation board 1240 which displays objects of the secondary material (the set R^0 of Fig. 4). In Fig. 12A, the set includes 700 references.

10 Color and display order can be used independently to create visual patterns. A user can select any of the icons representing the materials by, for example, clicking the left button of the mouse. Upon selection, the control routine and graphics engine could change selected material 1250 in form to provide feedback that the desired material was selected (for example, by turning an icon representing

15 the material 1250 green). If an icon of an object in content board 1230 is selected, control routine instructs the graphics engine to change the form of an icon 1260 of the object in citation board 1240. In other words, the content board 1230 and the citation board 1240 are linked. Upon selection, the control routine, graphics engine, and linking program could display selected material in browser area 1220. A

20 different selection could highlight material in a set of interest. For example, selection with the right mouse button will stand up items in the set of interest and turns them blue without displaying the information in the browser area 1220.

Also, the user could search for material by keywords and fields through, for example, a dialog box initiated by an onscreen button. For example, in Fig. 12B, the user has searched for "Spence" in the field "author" and seven of Spence's articles 1270 are highlighted, by illustrating them in a distinctive color and standing them on
5 end.

As a default, the material in the citation board 1240 is sorted alphabetically by the first author's name. The user can, however, provided different visualization of the medium. For example, in Fig. 12C, citation board 1240C shows the articles from oldest (in the far back left corner) to most recent (in the near right corner) based on a
10 user's interaction with, e.g., an on screen buffer. The user can also ask the knowledge processing system to change the color of the materials every several years to help show boundaries. Of course, the colors will still permit selected documents to be readily visible. Thereby, the user can quickly learn that the article "Focus on Information" is the earliest article in which Spence was an author.

15 To find articles of high influence, the user can rearrange the citation board by the number of times the reference material is cited. In Fig. 12D shows a rearranged citation board 1240D where the user has rearranged the citation board by the number of times the reference material is cited the source material CR^0 (light color is the highest number of citations, dark color is the least). Alternatively, the number of
20 citations in the reference material content CR^1 or both the source material content CR^0 and CR^1 could be illustrated. Here, the user learns that the oldest Spence

document was not the most heavily cited because the oldest Spence document was superceded by a later work by Spence.

To make the more heavily-cited articles stand out against a background of time, in Fig. 12E, the user selects articles and re-sorts the articles by time with color
5 representing the number of citations. This view shows a user when the most heavily cited articles were created, helping a user to determine when great advances were made in particular field. As shown in Fig. 12F, the user could then initiate a command to display on content board 1230F those articles from the selected Spence articles that can actually be found in the source material. As shown in Fig.
10 12F, an icon 1270 turns blue and tips forward to show that one of the Spence articles can be found in the source material.

As another line of investigation, the user has the system compute which articles in the content board, and hence in the book, cite a particular article. For example, in Fig. 12G, the user selects the target to be an article by Spence and
15 Apperly. Because of the visualization, the user learns that many materials cite the target article. Since content board 1230G shows that Chapter 4 contains the most citations, a user would like consult Chapter 4 for more information on this topic.

To increase the likelihood that a substantive discussion would occur in a citing material that references the target material, the user can unselect materials
20 without substantive discussion. For example, the user could unselect the left column of content board 1230G, which represents introductions so that only articles are left.

This is shown in content board 1230H of Fig. 12H. Then, to obtain a list of articles related to the Spence and Apperly article, the user commands the citation board 1240H to show all articles that are cited by substantive materials that cite the Spence and Apperly article. The user could then peruse these articles.

5 Alternatively, the user interface could highlight the more relevant materials.

To find the most relevant materials, the statistical analysis of this routine uses spreading activation on the cocitation matrix of the selected articles to produce an activation value. As shown in Fig. 12I, the materials will then be arranged in the citation board 1240I from right to left, front to back with decreasing values of
10 activation. Also, color could represent different values of activation. The user should peruse the highly-activated articles. A similar view is shown in Fig. 12J, which uses bibliometric coupling for the arrangement in the citation board 1240J.

A user can also select a document and the user interface to could recommend a document to read next based on, e.g., spreading activation over the cocitation matrix from that article. In Fig. 12K, the knowledge processing system
15 provides several selections ranked based on relevance using various colors in the arranged citation board 1240K.

D. Conclusion

20 Systems and methods consistent with principles of the present invention create an electronic medium that is like no other. The medium can be viewed as an enhanced index that is generated using a source material as a seed. The

generation of the index extracts information about features of the source material and features of secondary materials related to the source material. One index consistent with the present invention includes selected features of both the source and secondary materials.

5 In one of its aspects, the index points to a location on a storage medium for the content of secondary material related to a source material. Thereby, this content is available in seconds or minutes. In this regard, while a Web-based medium is within the scope of the present invention, a physical medium, such as a digital video disk (DVD), would have an advantage over the Web-based medium because all of
10 the content could be accessed nearly instantaneously, rather than slower over a typical network connection. Broadband technologies offer the capability to reduce this disadvantage of a Web-based medium.

 Because the publication is electronic, the publication overcomes the natural size and weight limitation of books. More importantly, the medium can accelerate a
15 reader's interaction and enable new capabilities not afforded by books. For example, the present invention can provide a user with tools that respond to the user's needs and requests at a level of the collection, rather than just with a single work. This can provide the user with a greater understanding of the collected material and, perhaps, enable the user to create an original work based on the
20 insight amassed during the interaction with the medium.

 While there has been illustrated and described what are at present considered to be a preferred implementation and method of the present invention, it

will be understood by those skilled in the art that various changes and modifications may be made, and equivalents may be substituted for elements thereof without departing from the true scope of the invention.

Modifications may be made to adapt a particular element, technique, or
5 implementation to the teachings of the present invention without departing from the spirit of the invention. For example, while the previous discussed focused on published books, the present invention could be used to create a medium for a business paper, such as a deposition in a court case. In that case, the user could create from an existing bibliography, from a new work using a digital library, such as
10 a companies accounting database, from workflow, or from any set of initial information, such as business intelligence information.

Similarly, catalogs could be used as source material. Secondary materials and features in catalogs could include technical data, specification sheets, and price lists.

15 In an academic setting, the medium could add to a student's understanding by providing required readings and all of the research put into the readings. This could help the student gain a better understanding of the material and, perhaps, author new works.

Also, the foregoing description is based on a client-server architecture, but
20 those skilled in the art will recognize that a peer-to-peer architecture may be used consistent with the invention. Moreover, although the described implementation includes software, the invention may be implemented as a combination of hardware

and software or in hardware alone. Additionally, although aspects of the present invention are described as being stored in memory, one skilled in the art will appreciate that these aspects can also be stored on other types of computer-readable media, such as secondary storage devices, like hard disks, floppy disks, or

Therefore, it is intended that this invention not be limited to the particular implementation and method disclosed herein, but that the invention include all implementations falling within the scope of the appended claims.

What is claimed is:

1. A method of producing a storage medium that provides information regarding a source material, comprising:

gathering features of the source material;

5 accessing secondary materials related to the features;

gathering features of the secondary materials;

determining attributes of the gathered materials;

analyzing the attributes based on a predetermined characteristic; and

recording information regarding the source material and the secondary

10 materials based on the analysis.

2. The method according to claim 1, wherein the determining step includes statistical analyzing the features of the source material and the features of the secondary materials.

15

3. The method according to claim 1, wherein the determining step includes incrementing an iteration number.

4. The method according to claim 1, wherein the recording step includes
20 recording the source material, features of the source material, the secondary material, and features of the secondary materials.

5. A method of providing an interface for graphically displaying information, comprising:

displaying information regarding a source material and a set of secondary materials;

5 determining a selection of information based on a user input;

analyzing the source material, the set of secondary materials, and the selection of information; and

updating the display of information regarding the source material and the set of secondary materials based on the analysis.

10

6. The method according to claim 5, wherein the updating step highlights a particular set of the secondary materials, so as to bring the particular set of the secondary materials to the attention of the user.

15

7. The method according to claim 5, wherein the displaying step includes displaying a representation of objects of the source material in a first area and displaying representations of objects of the second materials in a second area.

20

8. The method according to claim 7, wherein the updating step rearranges the locations of the representations of the objects of the secondary materials.

9. The method according to claim 7, further comprising:

linking the first area and the second area so that a user input to either area will effect the display in the other area.

5 10. An apparatus for producing a medium that provides information regarding a source material, comprising:

a memory including a program;

a processor for running the program; and

a storage medium,

10 wherein the program includes instructions to gathers features of the source material, access secondary materials related to the features, gather features of the secondary materials, determine attributes of the gathered materials, analyze the attributes based on a predetermined characteristic, and record on the storage medium information regarding the source material and the secondary materials
15 based on the analysis.

11. The apparatus according to claim 10, wherein the determining instruction includes statistical analyzing the features of the source material and the features of the secondary materials.

20

12. The apparatus according to claim 10, wherein the determining instruction includes incrementing an iteration number.

13. The apparatus according to claim 10, wherein the recording instruction includes recording the source material, features of the source material, the secondary material, and features of the secondary materials.

- 5 14. An interface for graphically displaying information, comprising:
a display that displays information regarding a source material and a set of secondary materials;
a user interface that determines a selection of information using a user input and performs an analysis based on the source material, the set of secondary
10 materials, and the selection of information; and
a controller that instructs the display of information regarding the source material and set of secondary materials to be updated based on the analysis.

- 15 15. The interface according to claim 14, wherein the display includes a first area that displays a representation of objects of the source material and second area that displays representations of objects of the second material.

16. The interface according to claim 15, wherein the controller instructs the display to rearrange the locations of the representations of the objects of the
20 secondary materials.

17. The interface according to claim 15, wherein the controller links the first area and the second area so that a user input to either area will effect the display in the other area.

5 18. A storage medium having a format for interacting with an automated information accessing device, the format including information for use in assisting a user to understand a source material, wherein the format includes information produced by a method, the method comprising:

gathering features of the source material;

10 accessing secondary materials related to the features;

gathering features of the secondary materials;

determining attributes of the gathered materials;

analyzing the attributes based on a predetermined characteristic; and

recording, based on the format, information regarding the source material and

15 the secondary materials based on the analysis.

19. The medium according to claim 18, wherein the determining step includes statistical analyzing the features of the source material and the features of the secondary materials.

20 20. The medium according to claim 18, wherein the determining step includes incrementing an iteration number.

21. The medium according to claim 18, wherein the storage medium is a physical storage medium and the source material, features of the source material, the secondary material, and features of the secondary materials are stored on the storage medium.

5

22. The medium according to claim 18, wherein the storage medium is the Internet.

23. A computer-readable medium containing instructions for controlling a
10 computer to perform a method for producing a storage medium that provides information regarding a source material, comprising:

gathering features of the source material;

accessing secondary materials related to the features;

gathering features of the secondary materials;

15 determining attributes of the gathered materials;

analyzing the attributes based on a predetermined characteristic; and

recording information regarding the source material and the secondary materials based on the analysis.

20 24. A computer-readable medium containing instructions for controlling a computer to perform a method for providing an interface for graphically displaying information, comprising:

displaying information regarding a source material and set of secondary materials;

determining a selection of information based on a user input;

analyzing the source material, the set of secondary materials, and the

5 selection of information; and

updating the display of information regarding the source material and set of secondary materials based on the analysis.

Attorney Docket No. 7447.0026

ABSTRACT OF THE DISCLOSURE

An electronic medium is a new form of publication for a source material, such as a book. The medium includes information about features of the source material and features of secondary information related to the source material. The medium
5 can be used with a visualization system. With the system, a user is provided with tools that respond to the user's needs and requests at a level of the collection, rather than just with a single work.

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500





FIG. 1

**FIG. 2**





FIG. 3

**FIG. 4**

5/22





FIG. 5

**FIG. 6**





FIG. 7B






FIG. 9





FIG. 10

**FIG. 11**




FIG. 12B




FIG. 12C




FIG. 12D




FIG. 12E




FIG. 12F




FIG. 12G




FIG. 12H




FIG. 12I




FIG. 12J




FIG. 12K

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first, joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: **MEDIUM CONTAINING INFORMATION GATHERED FROM MATERIAL INCLUDING A SOURCE AND INTERFACE FOR GRAPHICALLY DISPLAYING THE INFORMATION**, the specification of which is attached.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate or § 365(a) of any PCT international application(s) designating at least one country other than the United States, listed below and have also identified below, any foreign application(s) for patent or inventor's certificate, or any PCT International application(s) having a filing date before that of the application(s) of which priority is claimed:

Country	Application Number	Date of Filing	Priority Claimed Under 35 U.S.C.
			<input type="checkbox"/> YES <input type="checkbox"/> NO
			<input type="checkbox"/> YES <input type="checkbox"/> NO

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below:

Application Number	Date of Filing

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) or § 365(c) of any PCT International application(s) designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application(s) in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application(s) and the national or PCT International filing date of this application:

Application Number	Date of Filing	Status (Patented, Pending, Abandoned)




I hereby appoint the following attorney and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P., Douglas B. Henderson, Reg. No. 20,291; Ford F. Farabow, Jr., Reg. No. 20,630; Arthur S. Garrett, Reg. No. 20,338; Donald R. Dunner, Reg. No. 19,073; Brian G. Brunsvold, Reg. No. 22,593; Tipton D. Jennings, IV, Reg. No. 20,645; Jerry D. Voight, Reg. No. 23,020; Laurence R. Hefter, Reg. No. 20,827; Kenneth E. Payne, Reg. No. 23,098; Herbert H. Mintz, Reg. No. 26,691; C. Larry O'Rourke, Reg. No. 26,014; Albert J. Santorelli, Reg. No. 22,610; Michael C. Elmer, Reg. No. 25,857; Richard H. Smith, Reg. No. 20,609; Stephen L. Peterson, Reg. No. 26,325; John M. Romary, Reg. No. 26,331; Bruce C. Zotter, Reg. No. 27,680; Dennis P. O'Reilly, Reg. No. 27,932; Allen M. Sokal, Reg. No. 26,695; Robert D. Bajefsky, Reg. No. 25,387; Richard L. Stroup, Reg. No. 28,478; David W. Hill, Reg. No. 28,220; Thomas L. Irving, Reg. No. 28,619; Charles E. Lipsey, Reg. No. 28,165; Thomas W. Winland, Reg. No. 27,605; Basil J. Lewis, Reg. No. 28,818; Martin I. Fuchs, Reg. No. 28,508; E. Robert Yoches, Reg. No. 30,120; Barry W. Graham, Reg. No. 29,924; Susan Haberman Griffen, Reg. No. 30,907; Richard B. Racine, Reg. No. 30,415; Thomas H. Jenkins, Reg. No. 30,857; Robert E. Converse, Jr., Reg. No. 27,432; Clair X. Mullen, Jr., Reg. No. 20,348; Christopher P. Foley, Reg. No. 31,354; John C. Paul, Reg. No. 30,413; Roger D. Taylor, Reg. No. 28,992; David M. Kelly, Reg. No. 30,953; Kenneth J. Meyers, Reg. No. 25,146; Carol P. Einaudi, Reg. No. 32,220; Walter Y. Boyd, Jr., Reg. No. 31,738; Steven M. Anzalone, Reg. No. 32,095; Jean B. Fordis, Reg. No. 32,984; Barbara C. McCurdy, Reg. No. 32,120; James K. Hammond, Reg. No. 31,964; Richard V. Burgujian, Reg. No. 31,744; J. Michael Jakes, Reg. No. 32,824; Thomas W. Banks, Reg. No. 32,719; Christopher P. Isaac, Reg. No. 32,616; Bryan C. Diner, Reg. No. 32,409; M. Paul Barker, Reg. No. 32,013; Andrew Chanhon Sonu, Reg. No. 33,457; David S. Forman, Reg. No. 33,694; Vincent P. Kovalick, Reg. No. 32,867; James W. Edmondson, Reg. No. 33,871; Michael R. McGurk, Reg. No. 32,045; Joann M. Neth, Reg. No. 36,363; Gerson S. Panitch, Reg. No. 33,751; Cheri M. Taylor, Reg. No. 33,216; Charles E. Van Horn, Reg. No. 40,266; Linda A. Wadler, Reg. No. 33,218; Jeffrey A. Berkowitz, Reg. No. 36,743; Michael R. Kelly, Reg. No. 33,921; and James B. Monroe, Reg. No. 33,971; and James T. Wilson, Reg. No. 41,439. Please address all correspondence to FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P. 1300 I Street, N.W., Washington, D.C. 20005, Telephone No. (202) 408-4000.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Full Name of First Inventor Stuart Kent Card	Inventor's Signature <i>Stuart Kent Card</i>	Date December 15, 1999
Residence 13023 La Cresta Drive, Los Altos Hills, CA 94022	Citizenship United States	
Post Office Address 3333 Coyote Hill Road, Mail Stop: PARC, Palo Alto, CA 94304		

Listing of Inventors Continued on Page 2 hereof. ☒ Yes ☐ No

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

Full Name of Second Inventor Tobias Hans Höllerer	Inventor's Signature x 	Date x December 20, 1999
Residence 549 Riverside Drive #2G, New York, NY 10027		Citizenship Germany
Post Office Address 3333 Coyote Hill Road, Mail Stop: PARC, Palo Alto, CA 94304		
Full Name of Third Inventor James Edward Pitkow	Inventor's Signature x 	Date x 12/15/1999
Residence 742 Ellsworth Place, Palo Alto, CA 94306		Citizenship United States
Post Office Address 3333 Coyote Hill Road, Mail Stop: PARC, Palo Alto, CA 94304		
Full Name of Fourth Inventor Richard Carl Gossweiler III	Inventor's Signature x 	Date x 13 DEC 99
Residence 991-3 Belmont Terrace, Sunnyvale, CA 94086		Citizenship United States
Post Office Address 3333 Coyote Hill Road, Mail Stop: PARC, Palo Alto, CA 94304		